

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form	: Substance
Trade name	: Sodium hydroxyde pellets AGR
Chemical name	: sodium hydroxide; caustic soda
IUPAC name	: sodium hydroxide
EC Index-No.	: 011-002-00-6
EC-No.	: 215-185-5
CAS-No.	: 1310-73-2
REACH registration No.	: 01-2119457892-27
Product code	: SOHY-P0A
Formula	: NaOH

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses**

Main use category : Laboratory use

**1.3. Details of the supplier of the safety data sheet**

Labbox Labware S.L.  
Migjorn, 1  
08338 Premia de Dalt, Barcelona  
España  
T +34 937 07 79 70, F +34 937 909 532  
[info@labbox.com](mailto:info@labbox.com), [www.labbox.com](http://www.labbox.com)

**1.4. Emergency telephone number**

Emergency number : +34 937 077 970 (For technical information\_Office Hours) In case of medical emergency phone 112 or to your local emergency number. 24 hours a day, 7 days a week

Country/Area	Organisation	Emergency number
United Kingdom	National Poisons Information Service (Belfast Centre). Royal Victoria Hospital. Grosvenor Road BT12 6BA Belfast.	0344 892 0111 Only for healthcare professionals

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin corrosion/irritation, Category 1, Sub-Category 1A H314

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Specific concentration limits (%):

(0,5 ≤ C < 2)

(0,5 ≤ C < 2)

(2 ≤ C < 5)

(5 ≤ C < 100)

Eye Irrit. 2; H319

Skin Irrit. 2; H315

Skin Corr. 1B; H314

Skin Corr. 1A; H314

**Adverse physicochemical, human health and environmental effects**

No additional information available

# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

Other hazards which do not result in classification : Does not contain PBT and/or vPvB substances  $\geq 0.1\%$  evaluated according to Annex XIII of REACH.

PBT: not relevant – no registration required

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%
Sodium hydroxyde	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	100

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.  
First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. Get medical advice/attention.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.  
First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.  
Symptoms/effects after skin contact : Burns.  
Symptoms/effects after eye contact : Serious damage to eyes.  
Symptoms/effects after ingestion : Burns.

# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>). Water spray. Dry powder. Foam.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel. Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust.

#### For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Ventilate area. Stop release.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Clean up immediately by sweeping or vacuum.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Do not breathe dust. Avoid contact during pregnancy/while nursing. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from moisture. Keep cool.

# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Storage area : Store in a dry area. Store in a cool, well-ventilated place. Labelling.  
Special rules on packaging : Keep only in original container. Store in a closed container.

### 7.3. Specific end use(s)

Laboratory chemicals.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

Sodium hydroxyde pellets AGR (1310-73-2)	
<b>France - Occupational Exposure Limits</b>	
Local name	Hydroxyde de sodium
VLEP 8h (OEL TWA)	2 mg/m <sup>3</sup>
Remark	Valeurs recommandées/admises
<b>Portugal - Occupational Exposure Limits</b>	
Local name	Hidróxido de sódio
OEL C	2 mg/m <sup>3</sup>
<b>Spain - Occupational Exposure Limits</b>	
Local name	Hidróxido de sodio
VLA-EC (OEL STEL)	2 mg/m <sup>3</sup>
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m <sup>3</sup>

#### DNEL and PNEC

Sodium hydroxyde pellets AGR (1310-73-2)	
<b>DNEL/DMEL (Workers)</b>	
Long-term - local effects, inhalation	1 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - local effects, inhalation	1 mg/m <sup>3</sup>

### 8.2. Exposure controls

#### Personal protection equipment

##### Personal protective equipment:

Avoid all unnecessary exposure. ISO 374-1.

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Protective goggles (EN 166)

# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Skin protection

#### Hand protection:

Protective gloves against chemicals (EN 374)

#### Other skin protection

#### Materials for protective clothing:

Wear protective clothing

### Respiratory protection

#### Respiratory protection:

Wear a mask

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: white.
Molecular mass	: 40 g/mol
Odour	: odourless.
Odour threshold	: Not available
Melting point	: 323 °C Decomposition: 'no' Sublimation: 'no'
Freezing point	: Not available
Boiling point	: 1388 °C Atm. press.: 101,325 kPa Decomposition: 'no'
Flammability	: Not available
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: 13 – 14 (5% Aqueous solution)
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Water: 111 g/100ml
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: < 24 hPa 20° C
Vapour pressure at 50°C	: Not available
Density	: 2,13 g/cm <sup>3</sup> Type: 'density' Temp.: 20 °C
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive vapours.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Corrosive vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Sodium hydroxyde pellets AGR (1310-73-2)

LD50 oral	Rabbit
Skin corrosion/irritation	: Causes severe skin burns. pH: 13 – 14 (5% Aqueous solution)
Serious eye damage/irritation	: Causes serious eye damage. pH: 13 – 14 (5% Aqueous solution)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### 11.2. Information on other hazards

#### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The product does not meet the criteria due to its endocrine-disrupting properties.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### Sodium hydroxyde pellets AGR (1310-73-2)

LC50 - Fish [1]	45,4 mg/kg
EC50 - Crustacea [1]	40,4 mg/l Test organisms (species): Ceriodaphnia sp.

### 12.2. Persistence and degradability

#### Sodium hydroxyde pellets AGR (1310-73-2)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### 12.3. Bioaccumulative potential

No additional information available

# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Sodium hydroxyde pellets AGR (1310-73-2)

PBT: not relevant – no registration required

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.  
Waste treatment methods : Must follow special treatment according to local regulation.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : UN 1823  
UN-No. (IMDG) : UN 1823  
UN-No. (IATA) : UN 1823  
UN-No. (ADN) : UN 1823  
UN-No. (RID) : UN 1823

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : SODIUM HYDROXIDE, SOLID  
Proper Shipping Name (IMDG) : SODIUM HYDROXIDE, SOLID  
Proper Shipping Name (IATA) : Sodium hydroxide, solid  
Proper Shipping Name (ADN) : SODIUM HYDROXIDE, SOLID  
Proper Shipping Name (RID) : SODIUM HYDROXIDE, SOLID  
Transport document description (ADR) (ADR) : UN 1823 SODIUM HYDROXIDE, SOLID, 8, II, (E)  
Transport document description (IMDG) : UN 1823 SODIUM HYDROXIDE, SOLID, 8, II  
Transport document description (IATA) : UN 1823 Sodium hydroxide, solid, 8, II  
Transport document description (ADN) : UN 1823 SODIUM HYDROXIDE, SOLID, 8, II  
Transport document description (RID) : UN 1823 SODIUM HYDROXIDE, SOLID, 8, II

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 8  
Danger labels (ADR) : 8



# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### IMDG

Transport hazard class(es) (IMDG) : 8  
Danger labels (IMDG) : 8



### IATA

Transport hazard class(es) (IATA) : 8  
Danger labels (IATA) : 8



### ADN

Transport hazard class(es) (ADN) : 8  
Danger labels (ADN) : 8



### RID

Transport hazard class(es) (RID) : 8  
Danger labels (RID) : 8



## 14.4. Packing group

Packing group (ADR) : II  
Packing group (IMDG) : II  
Packing group (IATA) : II  
Packing group (ADN) : II  
Packing group (RID) : II

## 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : C6  
Limited quantities (ADR) : 1kg  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P002, IBC08  
Special packing provisions (ADR) : B4  
Mixed packing provisions (ADR) : MP10  
Portable tank and bulk container instructions (ADR) : T3  
Portable tank and bulk container special provisions (ADR) : TP33  
Tank code (ADR) : SGAN  
Vehicle for tank carriage : AT

# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport category (ADR) : 2  
Special provisions for carriage - Packages (ADR) : V11  
Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 2W

### Transport by sea

Limited quantities (IMDG) : 1 kg  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P002  
IBC packing instructions (IMDG) : IBC08  
IBC special provisions (IMDG) : B21, B4  
Tank instructions (IMDG) : T3  
Tank special provisions (IMDG) : TP33  
Stowage category (IMDG) : A  
Segregation (IMDG) : SGG18, SG35  
Properties and observations (IMDG) : White pellets, flakes, lumps or solid blocks, deliquescent. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

### Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y844  
PCA limited quantity max net quantity (IATA) : 5kg  
PCA packing instructions (IATA) : 859  
PCA max net quantity (IATA) : 15kg  
CAO packing instructions (IATA) : 863  
CAO max net quantity (IATA) : 50kg  
ERG code (IATA) : 8L

### Inland waterway transport

Classification code (ADN) : C6  
Limited quantities (ADN) : 1 kg  
Excepted quantities (ADN) : E2  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : C6  
Limited quantities (RID) : 1kg  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P002, IBC08  
Special packing provisions (RID) : B4  
Mixed packing provisions (RID) : MP10  
Portable tank and bulk container instructions (RID) : T3  
Portable tank and bulk container special provisions (RID) : TP33  
Tank codes for RID tanks (RID) : SGAN  
Transport category (RID) : 2  
Special provisions for carriage – Packages (RID) : W11  
Colis express (express parcels) (RID) : CE10  
Hazard identification number (RID) : 80

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

###### REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

###### REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

###### POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

###### Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

###### Council Regulation (EC) for the control of dual-use items

Not listed on the COUNCIL REGULATION (EC) of dual-use items.

###### Explosives Precursors Regulation (EU 2019/1148)

Not listed on the Explosives Precursors list (EU)

###### Drug Precursors Regulation (EC 273/2004)

Not listed on the Drug Precursors list (EU)

##### National regulations

###### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

###### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV; ID No. 142).

###### Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : The substance is not listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : The substance is not listed

# Sodium hydroxyde pellets AGR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Poland

#### Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).  
Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).  
The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).  
Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).  
Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).  
Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).  
The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)  
Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended).  
Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).  
ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)  
Regulation of the Minister of Health of 25 August 2015 on the method of marking places, pipelines, and containers and tanks used for storing or containing hazardous substances or hazardous mixtures (J.o.L. 2015, item 1368 as amended)

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.